

METEOR
350

CRUISE EASY



SPECIFICATIONS

ENGINE

Displacement	349 cc
Type	Single cylinder, 4 stroke
Ignition System	Electronic Fuel Injection
Cooling	Air-Oil cooled
Bore	75 mm
Stroke	85.8 mm
Compression Ratio	9.5:1
Max Power	20.2 BHP @ 6100 RPM
Max Torque	27 Nm @ 4000 RPM
Clutch	Wet, multi-plate
Gearbox	5 Speed
Engine Start	Electric
Air Cleaner	Paper Element

CHASSIS, SUSPENSION AND DIMENSION

Kerb Weight (Without Fuel)	191 kg
Fuel Capacity	15 Litres
Seat Height	765 mm
Ground clearance	170 mm
Wheelbase	1400 mm
Tyre, Front	Alloy Wheel - 100/90 - 19 - 57P (Tubeless Type)
Tyre, Rear	Alloy Wheel - 140/70 - 17 - 66P (Tubeless Type)
Frame	Twin Downtube Spine Frame
Suspension, Front	Telescopic, 41 mm forks
Travel - Front	130 mm
Suspension, Rear	Twin tube Emulsion shock absorbers with 6-step adjustable preload
Brakes, Front	300 mm fixed disc with twin piston floating caliper
Brakes, Rear	270 mm disc, single piston floating caliper
ABS Type	Dual Channel
Length	2140 mm
Width (w/o mirror)	845 mm
Height(w/o mirror)	1310 mm (Windshield-Touring screen)

ELECTRICAL SYSTEM

Head Lamp	12V, 14/12W (LED)
-----------	-------------------

*The specifications of the motorcycle may vary as per the variant.

METEOR 350



Some of the components and accessories featured in the photographs may not be a part of the standard fitment and applicable for all markets.
For any queries, call us at 18002100007 or email us at support@royalenfield.com