

CLASSIC 350

SPECIFICATIONS



FRAME

Frame type Twin Downtube Spine Frame

DIMENSIONS

Weight in running order (Kg.) 195
 Wheelbase (mm) 1390
 Seat height (mm) 805
 Ground clearance (mm) 170
 Length x width x height (mm) 2145 x 785 x 1090

ENGINE

Number of cylinders 1
 Bore x stroke (mm) 72 x 85.8
 Cooling System Air-Oil Cooled
 Displacement (cc) 349.34
 Injection system ECU controlled
 Valve gear / valves per cylinder 2
 Compression ratio 9.5:1
 Maximum power (Kw/HP-rpm) 14.87 kW @ 6100 rpm
 Maximum speed (mph) 114 km/h (4th Gear)
 Maximum torque (Nm/rpm) 27Nm@4000 rpm
 CO2 emission (g/km) 63.4
 Idle rpm 1050 ± 100 rpm
 Noise Emission 89 dB(A) @ 3050 rpm
 Clutch Conventional Wet Clutch
 Secondary transmission Chain
 Gearbox 5 Speed Constant Mesh
 Starting System Electric
 Engine Oil SAE 15W50 API SL Jaso MA2 Semi-synthetic

CHASSIS AND BRAKES

Front wheel Spoke Wheel - 100/90 - 19" - 57P (Tube Type)
 Rear wheel Spoke Wheel - 120/80 - 18" - 62P (Tube Type)
 Front suspension Telescopic, 41mm forks
 Rear suspension Twin tube Emulsion shock absorbers with 6-step adjustable preload
 ABS Dual-Channel
 Front brake 300mm disc with twin piston floating caliper
 Rear brake 270mm disc, single piston floating caliper

CAPACITY

Petrol tank (imperial gallons) 13 ± 0.5 litres
 Low fuel warning 4 ± 0.5 litres
 Consumption (mpg) 2.63 L/100 km

EQUIPMENT

Instrument Cluster Digital LCD with analog speedometer
 Emergency stop switch Yes
 Central and side stand Fabricated and Spring loaded
 Tool kit Provided in Right side cabinet of vehicle
 Side stand switch Yes

COLOURS



Halcyon Black



Halcyon Green



Halcyon Grey



Dark Stealth Black



Dark Gunmetal Grey



Chrome Red



Chrome Bronze



Signals Marsh Grey



Signals SandStorm