




Susy got buck











Logional realization

With its beautifully sculpted lines of the gleaming, hand-polished aluminium engine, classic teardrop tank and diamond-quilt-patterned twin seat, the Interceptor harks back to a golden era of motorcycling. The vintage-inspired aesthetics is augmented with the 36-spoke aluminum alloy rims, attached to the Ceat Zoomcruz, specially developed for Royal Enfield. What really brings the legend to life is the evocative exhaust note, one that meters on a power-on rumble, meant to turn heads and move your soul.





Easy like a

The wide handlebar, aligned with a low seat height and confidence-inspiring riding position, is set up for comfort, with a gentle sports bias. It helps the rider make the most of the agile chassis and stay connected to the machine. The Interceptor is smartly designed to have a 174 mm ground clearance and a whippy lean angle to help it go through any road with ease. With a 24-degree rake angle and 106 mm of trail, it feels nimble in the city, planted on the highways and confident on the twisties.
















Sunset Strip



Downtown Drag







ALUMINIUM SUMPGUARD, SILVER 1990423



LARGE ENGINE GUARD, BLACK 1990427



COMPACT ENGINE GUARD, STAINLESS STEEL 1990406



LARGE ENGINE GUARD, SILVER 1990407





TALL TINTED FLYSCREEN 1990414 SHORT TINTED FLYSCREEN 1990413 RSU FINISHER KIT, BLACK 1990445 HANDLEBAR BRACE PAD 1990402 INTAKE COVER KIT, BLACK 1990442

HEEL GUARD, RH, BLACK 1990444















TOURING MIRROR KIT, HOMOLOGATED 1990454




TOURING DUAL SEAT 1990404



TOURING SEAT, BLACK 1990482





MACHINED SWINGARM BOBBIN KIT, BLACK 1990415



WATER RESISTANT BIKE COVER, BLACK 1990642



WATER RESISTANT BIKE COVER, BLUE





Engine

Type: Parallel twin, 4-stroke,

single overhead cam, air/oil-cooled, Displacement: 648cc Ignition system: Fuel injection, digital spark ignition - TCI

Gearbox: 6-speed constant mesh Maximum power: 47 bhp @ 7150 RPM Maximum Torque: 52 Nm @ 5250 RPM

Chassis & Suspension

Type: Tubular steel frame with bolted trussing Front suspension: 41 mm front fork, 110 mm travel Rear suspension: Twin coil-over shocks, 88 mm travel

Dimensions

Wheelbase: 1400 mm

Ground Clearance: 174 mm

Length: 2122 mm Width: 1165 mm Height: 789 mm Seat height: 804 mm

Fuel capacity: 13.7 litres

Kerb weight: 202 kg (without fuel)

Brakes and Twees

Front tyre: 100/90-18 Rear tyre: 130/70-18

Front brake: 320 mm disc (ABS) Rear brake: 240 mm disc (ABS)

Electricals

Electrical system: 12 volt - DC

Battery: 12 V, 12 Ah

Head lamp: 12V, H4-60/55W (Halogen)

Tail lamp: 12V, P21/5W

Turn signal lamp 12V, 10W X 4nos



#INTERCEPTOR650





#INTERCEPTOR650



